

Staphylococcus aureus (MRSA), Strain COL Gateway® Clone Set, Recombinant in Escherichia coli, Plate 9

Catalog No. NR-19505

This reagent is the tangible property of the U.S. Government.

For research use only. Not for human use.

Contributor:

Pathogen Functional Genomics Resource Center at the J. Craig Venter Institute

Manufacturer:

BEI Resources

Product Description:

Production in the 96-well format has increased risk of cross-contamination between adjacent wells. Individual clones should be purified (e.g. single colony isolation and purification using good microbiological practices) and sequence-verified prior to use. BEI Resources does not confirm or validate individual mutants provided by the contributor.

The methicillin-resistant *Staphylococcus aureus* (*S. aureus*), strain COL Gateway® clone set consists of 25 plates which contain 2343 sequence validated clones from *S. aureus* strain COL cloned in *Escherichia coli* (*E. coli*) DH10B-T1 cells. Each open reading frame was constructed in vector pDONR™221 (Invitrogen™) with a native start codon and no stop codon. The sequence was validated by full length sequencing of each clone with greater than 1X coverage and a mutation rate of less than 0.2%. Detailed information about each clone is shown in Table 1.

Information related to the use of Gateway® Clones can be obtained from [Invitrogen™](#). Recombination was facilitated through an attB substrate (attB-PCR product or a linearized attB expression clone) with an attP substrate (pDONR™221) to create an attL-containing entry clone. The entry clone contains recombinational cloning sites, attL1 and attL2 to facilitate gene transfer into a destination vector, M13 forward and reverse priming sites for sequencing and a kanamycin resistance gene for selection. Please refer to the [Invitrogen™ Gateway® Technology Manual](#) for additional details.

Material Provided:

Each inoculated well of the 96-well plate contains approximately 60 µL of *E. coli* culture (strain DH10B-T1) in Luria Bertani (LB) broth containing 50 µg/mL kanamycin supplemented with 15% glycerol.

Packaging/Storage:

NR-19505 was packaged aseptically in a 96-well plate. The product is provided frozen and should be stored at -80°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

Media:

LB broth or agar containing 50 µg/mL kanamycin

Incubation:

Temperature: *E. coli*, strain DH10B-T1 clones should be grown at 37°C.

Atmosphere: Aerobic

Propagation:

1. Scrape top of frozen well with a pipette tip and streak onto agar plate.
2. Incubate the plates at 37°C for 18 to 24 hours.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Staphylococcus aureus* (MRSA), Strain COL Gateway® Clone Set, Recombinant in *Escherichia coli*, Plate 9, NR-19505."

Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. [Biosafety in Microbiological and Biomedical Laboratories](#). 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmb15/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals

Product Information Sheet for NR-19505

contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

Early Methicillin-Resistant *Staphylococcus aureus* Strain and a Biofilm-Producing Methicillin-Resistant *Staphylococcus epidermidis* Strain." *J. Bacteriol.* 187 (2005): 2426-2438. PubMed: 15774886.

References:

1. Gill, S. R., et al. "Insights on Evolution of Virulence and Resistance from the Complete Genome Analysis of an

ATCC® is a trademark of the American Type Culture Collection.



Table 1: *Staphylococcus aureus*, Strain COL Gateway® Clones, Plate 9 (ZSAJ1)

Clone	Well Position	ORF Length	Locus ID	Description (Gene name)	Accession Number	Average Depth of Coverage
1697	A01	532	SACOL1168	fibrinogen-binding protein	YP_186031.1	3.152255639
1703	A02	532	SACOL2706	hypothetical protein	YP_187492.1	2
1707	A03	535	SACOL0286	conserved hypothetical protein	YP_185181.1	3.145794393
1719	A04	535	SACOL0585	ribosomal protein L10	YP_185471.1	3.14953271
1721	A05	535	SACOL0789	GTP cyclohydrolase I family protein	YP_185662.1	2.730841122
1723	A06	535	SACOL1457	PTS system, IIA component	YP_186308.1	2.568224299
1725	A07	535	SACOL1759	universal stress protein family	YP_186593.1	2.173831776
1727	A08	535	SACOL1812	repressor of toxins	YP_186645.1	2
1729	A09	535	SACOL1952	ferritins family protein	YP_186777.1	3.145794393
1731	A10	535	SACOL2222	ribosomal protein S5	YP_187032.1	3.151401869
1734	A11	535	SACOL2295	staphyloxanthin biosynthesis protein, putative	YP_187102.1	3.145794393
1737	A12	535	SACOL2684	acetyltransferase, GNAT family	YP_187471.1	3.16635514
1740	B01	538	SACOL0438	single-stranded DNA-binding protein	YP_185329.1	3.851301115
1741	B02	538	SACOL1163	conserved hypothetical protein TIGR00040	YP_186026.1	3.563197026
1743	B03	538	SACOL1255	16S rRNA processing protein RimM	YP_186114.1	3.146840149
1746	B04	538	SACOL1891	RNAIII-activating protein TRAP	YP_186717.1	3.537174721
1747	B05	541	SACOL0037	conserved hypothetical protein	YP_184948.1	4.303142329
1749	B06	541	SACOL0669	conserved hypothetical protein	YP_185553.1	3.534195933
1753	B08	541	SACOL1167	hypothetical protein	YP_186030.1	2.850277264
1755	B09	541	SACOL1539	conserved hypothetical protein	YP_186381.1	3.147874307
1759	B10	541	SACOL2318	conserved hypothetical protein	YP_187125.1	4.329020333
1761	B11	544	SACOL1020	conserved hypothetical protein	YP_185886.1	3.145220588
1763	B12	544	SACOL1397	peptide methionine sulfoxide reductase	YP_186249.1	3.876838235
1765	C01	544	SACOL2173	alkaline shock protein 23	YP_186984.1	2.411764706
1769	C02	547	SACOL0157	conserved hypothetical protein	YP_185057.1	3.548446069
1771	C03	547	SACOL2723	conserved hypothetical protein	YP_187509.1	4.294332724
1773	C04	550	SACOL0984	conserved hypothetical protein TIGR00481	YP_185852.1	2.425454545
1775	C05	550	SACOL1933	ThiJ/Pfpl family protein	YP_186758.1	2.401818182
1777	C06	550	SACOL2162	conserved hypothetical protein	YP_186974.1	3.872727273
1779	C07	550	SACOL2185	galactose-6-phosphate isomerase, LacB subunit	YP_186996.1	2.152727273
1781	C08	550	SACOL2366	acetyltransferase, GNAT family	YP_187171.1	3.138181818
1783	C09	550	SACOL2711	conserved hypothetical protein	YP_187497.1	3.14
1785	C10	553	SACOL0802	conserved hypothetical protein	YP_185676.1	4.305605787
1789	C11	553	SACOL1875	epidermin biosynthesis protein EpiD	YP_186703.1	4.323688969
1791	C12	556	SACOL0659	conserved hypothetical protein	YP_185543.1	3.014388489
1793	D01	556	SACOL0854	hypothetical protein	YP_185727.1	4.248201439
1796	D02	556	SACOL1152	colicin V production protein, putative	YP_186015.1	3.115107914
1797	D03	556	SACOL2099	ATP synthase F0, B subunit	YP_186914.1	4.275179856
1800	D04	556	SACOL2118	conserved hypothetical protein	YP_186933.1	2.838129496
1801	D05	556	SACOL2562	methylated-DNA--protein-cysteine methyltransferase	YP_187354.1	3.570143885
1804	D06	559	SACOL0519	acetyltransferase, GNAT family	YP_185407.1	3.148479428
1805	D07	559	SACOL0579	conserved hypothetical protein	YP_185465.1	4.254025045
1807	D08	559	SACOL0968	signal peptidase IA, inactive	YP_185837.1	4.300536673
1809	D09	559	SACOL1596	shikimate kinase	YP_186436.1	3.846153846
1811	D10	559	SACOL1991	conserved hypothetical protein	YP_186815.1	4.230769231

Product Information Sheet for NR-19505

Clone	Well Position	ORF Length	Locus ID	Description (Gene name)	Accession Number	Average Depth of Coverage
1813	D11	559	SACOL2106	conserved hypothetical protein TIGR01440	YP_186921.1	3.837209302
1816	D12	562	SACOL0904	pathogenicity island protein	YP_185775.1	2.414590747
1818	E01	562	SACOL1210	pyrimidine operon regulatory protein	YP_186073.1	2.8113879
1819	E02	562	SACOL1654	hydrolase, HAD-superfamily, subfamily IIIA	YP_186494.1	4.304270463
1821	E03	562	SACOL1727	translation initiation factor IF-3	YP_186565.1	4.286476868
1823	E04	562	SACOL2660	immunodominant antigen B	YP_187448.1	3.256227758
1825	E05	565	SACOL0855	acetyltransferase, GNAT family	YP_185728.1	3.286725664
1827	E06	565	SACOL1032	ComK family protein	YP_185897.1	4.276106195
1829	E07	565	SACOL1703	rod shape-determining protein MreD, putative	YP_186542.1	4.309734513
1831	E08	565	SACOL1936	cytosolic long-chain acyl-CoA thioester hydrolase family protein	YP_186761.1	4.297345133
1833	E09	565	SACOL1956	conserved hypothetical protein	YP_186781.1	4.251327434
1835	E10	565	SACOL2120	DNA-directed RNA polymerase, delta subunit	YP_186935.1	3.07079646
1837	E11	565	SACOL2315	conserved hypothetical protein	YP_187122.1	3.557522124
1840	E12	568	SACOL0073	conserved hypothetical protein	YP_184978.1	4.278169014
1841	F01	568	SACOL1357	thermonuclease precursor family protein	YP_186210.1	4.105633803
1845	F03	571	SACOL0535	primase-related protein	YP_185423.1	4.250437828
1847	F04	571	SACOL0656	conserved hypothetical protein	YP_185541.1	4.257443082
1849	F05	571	SACOL2224	ribosomal protein L6	YP_187034.1	4.273204904
1851	F06	571	SACOL2400	acetyltransferase, GNAT family	YP_187203.1	4.276707531
1854	F07	571	SACOL2634	anaerobic ribonucleoside-triphosphate reductase activating protein	YP_187422.1	3.534150613
1857	F08	574	SACOL0554	hypoxanthine phosphoribosyltransferase	YP_185442.1	4.277003484
1859	F09	574	SACOL0874	nitroreductase family protein	YP_185746.1	3.132404181
1861	F10	574	SACOL1107	transcriptional regulator, Cro/Ci family	YP_185971.1	4.217770035
1863	F11	574	SACOL1607	5-formyltetrahydrofolate cyclo-ligase family protein	YP_186447.1	3.534843206
1865	F12	574	SACOL1621	CBS domain protein	YP_186461.1	4.266550523
1867	G01	574	SACOL1882	hypothetical protein	YP_186709.1	4.299651568
1869	G02	574	SACOL2098	ATP synthase F1, delta subunit	YP_186913.1	3.548780488
1871	G03	574	SACOL2227	ribosomal protein L5	YP_187037.1	2.412891986
1873	G04	577	SACOL0357	prophage L54a, deoxyuridine 5-triphosphate nucleotidohydrolase	YP_185249.1	4.268630849
1875	G05	577	SACOL0739	acetyltransferase, GNAT family	YP_185618.1	4.253032929
1877	G06	577	SACOL0785	conserved hypothetical protein	YP_185659.1	4.285961872
1879	G07	577	SACOL1090	conserved hypothetical protein	YP_185954.1	4.266897747
1881	G08	577	SACOL1133	conserved hypothetical protein TIGR00095	YP_185997.1	4.251299827
1884	G09	577	SACOL1317	glycerol uptake operon antiterminator regulatory protein	YP_186173.1	2.818024263
1885	G10	577	SACOL1537	segregation and condensation protein B	YP_186379.1	3.559792028
1887	G11	577	SACOL1542	MutT/nudix family protein	YP_186384.1	3.87694974
1889	G12	577	SACOL1925	conserved hypothetical protein	YP_186750.1	4.272097054
1891	H01	580	SACOL0413	ribosomal-protein-serine acetyltransferase, putative	YP_185305.1	4.284482759
1893	H02	580	SACOL1270	heat shock protein HslIV, ATPase subunit HslIV	YP_186128.1	4.244827586
1895	H03	580	SACOL1526	conserved hypothetical protein	YP_186369.1	4.251724138
1897	H04	582	SACOL0441	integrase, degenerate	N/A	3.235395189
1901	H05	583	SACOL0618	SIS domain protein	YP_185503.1	4.171526587
1904	H06	583	SACOL2175	conserved hypothetical protein	YP_186986.1	3.130360206
1905	H07	586	SACOL1100	polypeptide deformylase	YP_185964.1	4.271331058
1908	H08	586	SACOL1850	hypothetical protein	YP_186681.1	3.141638225
1910	H09	586	SACOL2349	transcriptional regulator, TetR family	YP_187155.1	3.109215017
1911	H10	589	SACOL1278	ribosome recycling factor	YP_186135.1	4.259762309
1913	H11	589	SACOL1885	conserved hypothetical protein	YP_186711.1	3.285229202
1915	H12	589	SACOL1954	exonuclease	YP_186779.1	4.264855688